



Order #: 172255

JDE Order ID: N/A

Order Revision #: 0

Dealer/Customer: WELLS FARGO EQUIPMENT (ST LOUIS,MO)TRL
Customer #: 190770
Equipment #
Min Unit #:
Max Unit #:

Order Created Date: 9/1/2023
Requested Date: 01/26/2024
Dealer/Branch P.O: NA
Customer P.O: NA
Salesman: Jeffrey Thompson

Order Notes:

Itm	Qty	Description	FG Item Number	Model #	Reference #
1	100	Wells Fargo 2025CY Base JB	252450129	CCC-3314-01053	C-176238

Product

GD_PRODUCT A0100610 Product CCC - Champion Composite Plate
PLT 245 Manufacturing Plant Jonesboro, AR
MODEL_YEAR 025 Model Year 2025

Geometric Dimensions

CGHG 020 CARB/GHG Phase 2 CARB/GHG2 compliance not required.
PKS 000 Packaged Options None
KAC 000 Serial Identification U.S. Certification
OAH 162 Overall Height 13' 6"
OAL 636 Overall Length 53' 0"
OAW 102 Overall Width 102.36"
UCH 470 Upper Coupler Height 47"
KPL 036 Kingpin Location 36.00"
LGL 018 Landing Gear Location 98.5" From Kingpin
WED 100 Wedge 1.00" Wedge
UND 231 Undercarriage Design Tandem Axle, Slide Air-Ride Suspension, 49" Axle Centers
TAB A 000 Miscellaneous Text (TAB A) None

Front

FBC 060 Front Corner Type 4.7" Extruded Aluminum Radius
FRC 035 Front Corner Sheet 0.125" Extruded Aluminum Mill Finish
BDM 000 Front Corner Protectors None
FST 060 Front Sheets Aluminum, 0.050"
FUP 032 Front Upright Four (4) 18ga STL, 2.5" Hats
FVO 000 Front Vents None
FRB 000 Quantity and Type of Front Vent None



FRD 000 Location of Front Vent None

ECL 010 Electrical Connector and Gladhand Location Offset Roadside, Overlaid

BDN 002 Hose Couplers (Gladhands) Great Dane Control and Supply with Urethane Seals

IAF 000 In-Line Air Filter None

DCH 020 Document Holder Great Dane Standard with Logo At Roadside Front

AWG 000 Additional Manifest Box None

AWH 000 Additional Manifest Box Location None

TABB 000 Miscellaneous Text (TABB) None

Telematics

TKS 005 Telematics / Tracking System Alternative Telematics System

TKSA 190 Alternative Telematics System Other

TKSI 010 Telematics System Install and Commission Customer Furnished and Customer Commissioned

TID 999 Telematics System Installation Detail No telematics/tracking device of any kind.

TDC 000 Telematics Data Contract . . .

TPS 000 Telematics / Tracking Power Supply None

Side Exterior and Structural

SSA 016 Side Sheet Material Composite Plate, 0.30" with .016" PP Galv. Steel Skins

SSD 010 Side Sheet Texture Flat

UPR 155 Side Post Type Logistic Post, Comp Plate Single-Punch "A" (14 Gauge)

APR 260 Side Post Spacing 50" Centers

RIV 010 Bottom Rail Fasteners 0.38" Aluminum Rivets

DSR 000 Rub Rail Type None

DST 000 Rub Rail Location None

SKY 000 Side Skylight Quantity None

SKA 000 Side Skylight Location None

EXT 000 External Protection Package (Lift Pads) None

TABC 000 Miscellaneous Text (TABC) None

Rear

DRB 012 Rear Frame Type EnduroGuard Swing Door Frame

HDR 007 Header Type 2.5" Narrow Header

RPP 000 Rear Corner Post Lamp Protection None

BDVY 000 Rear Liftgate None

BPL 030 Rear Bumpers Rubber Dock Bumper

ICC 016 Rear Impact Guard Hot Dip Galvanized Steel Rear Impact Guard Bolt on Vertical Weld On Horizontal

DOC 000 Dock Lock Bracing None

ICD 000 Rear Access System None

TAG 030 Tag Bracket Location Standard Location

TAGP 000 License Plate Installation None

TABE 000 Miscellaneous Text (TABE) None

Rear Doors

DRE 032 Rear Door Type 0.50" Composite Swing Door, Dual-Seal Gaskets, Galvanized Steel Cover Sheet

LRD 001 Lockrod 1 Per Door

HIN 004 Hinge per Door 4 Per Rear Door



RDH 001 Rear Door Holdback K-Slot Style w/chain

BAC 000 Rear Door Vent None

BAE 000 Rear Vent Location None

BAI 000 Hazardous Placard None

BCW 000 Haz. Mat. Placard Location None

TABF 000 Miscellaneous Text (TABF) None

Roof Options

RBA 045 Roof Bows 1" Galvanized Steel, 24" Centers

RSA 010 Roof Sheet Aluminum

TABG 000 Miscellaneous Text (TABG) None

Floor

FTP 000 Special Floor Rating None

AAB 010 Type of Floor Hardwood, Lam. 1.38"

FLB 010 Floor Brand Factory Choice

BCR 003 Quantity of Wood Floor Screws 3 Screws per Board

BDS 065 Hardwood Floor Top Finish Water Repellant Coating Rear 8'

ACR 015 Threshold Plate Steel Diamondette, 0.125" x 24"

TABH 000 Miscellaneous Text (TABH) None

Lining / Scuffband

LNG 060 Front Lining Pine Plywood, 0.50"X48" High, 0.25" to Ceiling

LNP 000 Ceiling Lining None

BDR 010 Unit Numbers on Lining Unit Numbers on Lining @ Top Rear Curbside

ABE 001 Rows of Front Scuffband 1 Row

TSM 002 Rows of Side Scuffband 2 Rows

DRH 000 Sidewall Cargo Restraint None

LGE 000 Quantity of Rows of Logistic track None

TABI 000 Miscellaneous Text (TABI) None

Scuff/Logistic Track

ABFK 570 Type of Front Scuffband 12" Carbon Steel Welded to Coupler, 7 Gauge

ABLA 001 Front Scuffband Location Installed at Floor Level

ABJA 010 Front Scuffband Position Overlaid

ABFA 008 Type of Side Scuffband (Row One) 5" Extruded Aluminum Integrated With Bottom Rail

ABGA 001 Scuffband Location (Row One) Installed at Floor Level

ABFC 495 Type of Side Scuffband (Row Two) 6" Galvanized Steel, 18 gauge

ABGC 002 Side Scuffband Location (Row Two) Butted to lower row

TABJ 000 Miscellaneous Text (TABJ) None

Understructure

ACL 020 Upper Coupler Type 3.50" Channel

ACM 325 Bottom Plate Thickness 0.25" with Rolled-Lip

LGA 030 Landing Gear GD60

LGC 020 Landing Gear Foot / Shoe Type 10" X 10" Cushion Foot

ACB 010 Landing Gear Handle Location Roadside

LUB 000 Landing Gear Lube System No Special Lube System



BRM 000 Anti-Hook Plate None
TCA 000 Tire Carrier None
BMC 005 Crossmembers Ahead of Landing Gear Steel Hat type on 12" Centers, 2" Deep
ABT 010 Crossmembers Over Landing Gear 4" Steel I-Beam on 12" Centers
XBR 110 Bay Area Crossmembers 4" Steel I-Beam on 12" Centers
BIA 010 URG Crossmembers 4" Steel I-Beam on 12" Centers
BKE 000 Extra Crossmembers at Rear None
BLP 000 Extra URG Rail Length None
TBHH 000 Miscellaneous Text (TBHH) None

Aerodynamic Devices

AFF 000 Aerodynamic Fairings - Front, Gap Reducers None
AFFC 000 Front Fairing Color None
AFS 000 Aerodynamic Fairings - Skirts, Undercarriage None
AFSC 000 Side Fairing Color None
AFT 000 Aerodynamic Fairings - Tails, Rear Frame Top Kits None
AFTC 000 Rear Fairing Color None
TABK 000 Miscellaneous Text (TABK) None

Suspension

HGR 324 Model of Suspension Hendrickson ULTRAAK 40K
AXA 901 Axle Type Hendrickson Tapered Spindle Standard Wall
RTR 000 Integrated Wheel End Package None
LMB 002 Locking Mechanism Air-Assist Pin Release
BES 005 Dump Valve Surelok Feature
TABL 000 Miscellaneous Text (TABL) None

Rear Ramps and Mud Flaps

MUD 010 Mudflaps Great Dane, Smooth Black with Logo
MQY 001 Mudflap Quantity/Bracket Material 1-Pair
MML 010 Mudflap Mounting Location On Undercarriage
TABM 000 Miscellaneous Text (TABM) None

Brakes, Tire Inflation Systems and Wheel Ends

BRK 010 Brake Size 16.50" x 7.00"
BKC 090 Brake Actuators Great Dane Standard 2.5" Stroke
AFD 901 Brake Lining Standard Brake Lining
BST 060 Brake Shoe Type Extended Service
SLA 010 Brake Adjusters Meritor Automatic 5.50"
BSI 000 Supplemental Brake Stroke Indicator None
DSA 000 Dust Shield Type None
TWO 080 Tire-Inflation-System/Tire/Wheel Options Hendrickson TIREMAAX PRO
TIP 010 Tire Inflation System Pressure Great Dane Standard Pressure Setting
APC 000 Auxiliary Pressure Check Port None
SEA 010 Wheel Seals Stemco Guardian
ASN 061 Axle Spindle Nuts Auto-Torq Spindle Nut
CAP 903 Hubcaps Hubcap To Accommodate Tire Inflation System



LBR 040 Wheel Lubricant Kendall EBL Grease
CBG 040 Anti-Lock Brakes Wabco 2S/1M Easy Stop
BLM 020 Brake Valves Great Dane Standard
AFC 020 Air-Tank Drain Valve Manual
HYN 000 Hubodometer YN None
TABN 000 Miscellaneous Text (TABN) None

Tires / Wheels / Hubs and Drums

ACG 060 Rim/Disc Wheel Size 22.5" X 8.25"
AWE 021 Hub/Wheel And Drum Great Dane Hub Piloted Universal 10 Stud Hub with Outboard Cast Drums
DUR 005 Brake Drum Balancing Supplied Balanced Only
RIM 011 Wheel Type 22.5" Steel Disc Wheel, Hub Piloted, 5HH
RMV 010 Wheel/Rim Vendor Great Dane
STU 000 Wheel Stud Options Standard
WSP 000 Wheel Spacer (Corrosion Barrier) None
ACA 295 Tire Size 295/75R 22.5
TIR 039 Tire Brand Bridgestone Ecopia R123 (G)
SPA 000 Spare Tire None
TABO 000 Miscellaneous Text (TABO) None

Electrical

ELP 129 Exterior Light Package All Lights LED, Grote Long Life Light System, AMP Connector, Grote MicroNova Dot Lamps
ECT 300 Electrical Connector Type Great Dane Standard 7-Way Solid Pin
TFL 020 Front Top Rail Lights Loc 1 Top Mounted on Front Corner at 45 Degrees; Roadside and Curbside (Canadian Requirement)
BPA 100 Buckplate Light Type Grote Series 40, LED Flange Mount
BPM 050 Buckplate Lights Qty & Loc 2 Each Side
SSR 010 Stainless Theft-Resistant Flange for LED Lamps Installed on Buckplate lamps with Stainless Rivets
RHL 021 Rear Header Light Locations Center Cluster of 3 with Dual Intensity Brake Indication
SLL 001 Top and Bottom Side Marker Lamps/Location Standard Lamp Package, 1 Each Side Top Rail @ Front, 1 Each Side Mid-ship Combination (req'd on trlrs 30' and over), 1 Each Side Bottom Rail @ Rear
MID 015 Midship Turn Signal Grote LED Combination Turn and Clearance
BPD 020 Location of Turn Signal Roadside and Curbside, Center of Trailer
BPE 010 Installation of Turn Signal Install Below Bottom rail
SUP 000 Supplemental Turn Signal None
BPC 000 Type of Supplemental Turn-Signal None
BPDA 000 Location of Supplemental Turn Signal None
BPEA 000 Installation of Supplemental turn Signal None
TABP 000 Miscellaneous Text (TABP) None

Electrical Interior

EML 000 Interior Light Quantity None
DLV 000 Interior Light Vendor/Type None
EMD 000 Interior Light Location Width-wise None
EMP 000 Interior Light Location Length-wise None
EMM 000 Interior Light Switch Qty / Type / Loc None
TABQ 000 Miscellaneous Text (TABQ) None



Finish/Paint/Decal

-
- PTB 010 Front Finish** Pre-Painted White
 - PTA 010 Side Finish** Pre-Painted White
 - PTD 001 Rear Frame Finish** Great Dane White
 - PTC 010 Rear Door Finish** Pre-Painted White
 - PTK 025 Undercarriage / Frame Finish** Black Undercoat
 - PTN 015 Wheel Finish** White Powder Coat
 - PUC 010 Upper Coupler Finish** Great Dane Standard Coating
 - PTL 040 Landing Gear Finish** Hot Dip Galvanized Wingplates Fore/Aft Bracing K Brace and Cross Shaft, Leg Finish to Match Undercarriage
 - PUR 010 Upper Running Gear Finish** Great Dane Standard Coating
 - FGJ 110 Conspicuity Treatment Location** Great Dane on Side Sheet
 - GDL 002 Manufacturer's Logo Installation** Red Logos
 - CFD 999 Installation Of Customer Decals** INSTALL CUSTOMER FURNISHED DECAL ON NOSE (EMERGENCY NUMBER).
 - BDU 999 Exterior Unit Numbers** GREAT DANE TO FURNISH & INSTALL TWO SIX DIGIT HORIZONTAL UNIT NUMBERS, 4" DIGITS. One on front and one on rear.
 - TABR 000 Miscellaneous Text (TABR)** None

Calculated Values

CCY 024 CARB Compliance Year 2024

Geometric Dimensions

DPD 000 Drop Depth None

Insulation

BCJ 000 Floor Insulation None

Calculated Values

ZSDYN 000 Side Door Y/N No

Rear Liftgate

BDV 000 Liftgate Preparation None

Lining / Scuffband

LNH 000 Side Lining No Side Lining

Suspension

PBA 000 Pintle Hook None

Rear Ramps and Mud Flaps

DSE 000 Walkramp at Rear None

Calculated Values

LRDM 010 Lock Rod Stocking Compliance This Lock Rod Length is Stocked

Line Item 1

FG Item: 252450129

Configuration Reference #: C-176238

Mode of Transportation: Customer Pick-Up

Qty: 100



Exterior Unit Numbers - GREAT DANE TO FURNISH & INSTALL TWO SIX DIGIT HORIZONTAL UNIT NUMBERS, 4" DIGITS. One on front and one on rear.		
EENID-1	BOMID-591034	CPQ-
Installation Of Customer Decals - INSTALL CUSTOMER FURNISHED DECAL ON NOSE (EMERGENCY NUMBER).		
EENID-5	BOMID-CFM00066148	CPQ-
Telematics System Installation Detail - No telematics/tracking device of any kind.		
EENID-6	BOMID-591035	CPQ-